



ALLIED MAKER

MADE IN NEW YORK

Concentric

Installation Guide

212-334-7333

help@alliedmaker.com

LIVING FINISHES








Wear Gloves!



THIS PRODUCT MUST BE INSTALLED IN ACCORDANCE WITH THE APPLICABLE
INSTALLATION CODE BY A PERSON FAMILIAR WITH THE CONSTRUCTION AND
OPERATION OF THE PRODUCT AND HAZARDS INVOLVED




Contents Included

 <p>Adapter</p>	 <p>2x Phillips Screw</p>	 <p>Canopy</p>	 <p>Light Bulb</p>
 <p>Lighting Fixture</p>	 <p>Shade</p>	 <p>Glass</p>	


1

Mount the crossbar ① onto the junction box ② using the provided phillips screws ③



2

Connect the wires from the lighting fixture ① with the wires from the junction box ② using wire nuts ③




3

Screw the canopy ①
onto the socket cover ②



Place the shade ③
over the socket cover ②

Screw the adapter ④
onto the socket cover ②
to secure the shade ③ into place.



4

Insert the light bulb ①
into the fixture socket ②



5

Screw the glass ①
onto the socket cover ②

CAUTION: Align threads properly
for a smooth rotation before
twisting to avoid jamming.
Do not overtighten the glass.

