ALLIED MAKER

MADE IN NEW YORK

Gordon Pendant 12”

Installation Guide

212-334-7333

help@alliedmaker.com

LIVING FINISHES

Wear Gloves!

THIS PRODUCT MUST BE INSTALLED IN ACCORDANCE WITH THE APPLICABLE INSTALLATION CODE BY A PERSON FAMILIAR WITH THE CONSTRUCTION AND OPERATION OF THE PRODUCT AND HAZARDS INVOLVED

Contents Included

			
Lighting Fixture	Hang Tube	Canopy Assembly	2x Phillips Screw

1

Remove the **lock ring** (1)
and the **ball joint** (2)
from the **canopy** (3)

Remove the **canopy** (3)
from the backplate.



2

Connect the ground wire
from the **backplate** (1)
and the wires from the **dimmer** (2)
with the ground wire and wires
from the **junction box** (3)
using **wire nuts** (4)



3

Mount the **backplate** (1)
onto the **junction box** (2)
using the provided **phillips screws** (3)



4

Screw the **canopy** (1)
onto the **backplate** (2)



5

Travel the wires from the **lighting fixture** (1)
through the **hang tube** (2)

Screw the **hang tube** (2)
onto the **fixture body** (3)



6

Travel the wires
through the **lock ring** (1)
and the **ball joint** (2)

Carry the **lock ring** (1)
down the **hang tube** (3)
and screw the **ball joint** (2)
onto the **hang tube** (3)



7

Connect the wires from the **lighting fixture** (1) with the wires from the **junction box** (2) using **wire nuts** (3)

NOTE: 2 person Install





8

Insert the **ball joint** (1)
into the **canopy** (2)
and hold in place.

Carry the **lock ring** (3)
back up the **hang tube** (4)
and screw onto the **canopy** (2)
to secure the lighting fixture
into place.